

SYMBOLS	PITCH VARIATION A			N _O T _E	PITCH VARIATION B			N _O T _E	PITCH VARIATION C			N _O T _E	PITCH VARIATION D			N _O T _E
	MIN.	NOM.	MAX.		MIN.	NOM.	MAX.		MIN.	NOM.	MAX.		MIN.	NOM.	MAX.	
ⓐ	0.80	BSC		ⓐ	0.65	BSC		ⓐ	0.50	BSC		ⓐ	0.50	BSC		
ⓑ	20			ⓑ	28			ⓑ	36			ⓑ	40			
Ⓒ	5			Ⓒ	7			Ⓒ	9			Ⓒ	10			
Ⓓ	5			Ⓓ	7			Ⓓ	9			Ⓓ	10			
Ⓔ	0.50	0.60	0.75	Ⓔ	0.50	0.60	0.75	Ⓔ	0.50	0.60	0.75	Ⓔ	0.30	0.40	0.50	
Ⓕ	0.28	0.33	0.40	Ⓕ	0.23	0.28	0.35	Ⓕ	0.18	0.23	0.30	Ⓕ	0.18	0.23	0.30	
Ⓖ	0.30	0.40	0.65	Ⓖ	0.30	0.40	0.65	Ⓖ	0.30	0.40	0.65	Ⓖ	0.00	0.20	0.45	
D2 SEE EXPOSED PAD VARIATION: A																
E2 SEE EXPOSED PAD VARIATION: A, B																
D2 SEE EXPOSED PAD VARIATION: A, B																
E2 SEE EXPOSED PAD VARIATION: A, B																
D2 SEE EXPOSED PAD VARIATION: A																
E2 SEE EXPOSED PAD VARIATION: A																
D2 SEE EXPOSED PAD VARIATION: A																
E2 SEE EXPOSED PAD VARIATION: A																
D3 SEE MIXED RING PAD VARIATION																
E2 SEE EXPOSED PAD VARIATION: D																
E2 SEE EXPOSED PAD VARIATION: D																
D3 SEE MIXED RING PAD VARIATION																
E2 SEE EXPOSED PAD VARIATION: D																
D3 SEE MIXED RING PAD VARIATION																
E3 SEE MIXED RING PAD VARIATION																
E3 SEE MIXED RING PAD VARIATION																

<STANDARD>

* NOT DESIGNED YET
 ** DESIGNED BUT NOT TOOLED UP
 *** APPLIES TO MIXED RING PAD DESIGN ONLY

SYMBOLS	D2			E2			NOTE
	MIN	NOM	MAX	MIN	NOM	MAX	
EXPOSED PAD A	3.55	3.70	3.85	3.55	3.70	3.85	
EXPOSED PAD B	3.95	4.10	4.25	3.95	4.10	4.25	
EXPOSED PAD C	4.15	4.30	4.45	4.15	4.30	4.45	

EXAMPLE: WE CAN CALL VARIATION "BB" FOR 28 TERMINAL MLF2 WITH 4.10 mm X 4.10 mm NOMINAL EXPOSED PAD DIMENSION. THE FORMER ONE IN VARIATION IS FOR PITCH VARIATION AND THE LATER ONE IS FOR EXPOSED PAD VARIATION.


SYMBOLS	D2			E2		
	MIN	NOM	MAX	MIN	NOM	MAX
EXPOSED PAD A	2.95	3.10	3.25	2.95	3.10	3.25
EXPOSED PAD B	3.10	3.25	3.40	3.10	3.25	3.40
EXPOSED PAD C	3.25	3.40	3.55	3.25	3.40	3.55
MIXED RING PAD A	4.15	4.30	4.45	4.15	4.30	4.45

<MIXED RING>

EXAMPLE: WE CAN CALL VARIATION "DDA" FOR 40 TERMINAL MLF2 WITH 3.10 mm X 3.10 mm NOMINAL EXPOSED PAD DIMENSION, AND WITH 4.30 mm X 4.30 mm NOMINAL EXPOSED MIXED RING PAD DIMENSION. THE FORMER ONE IN VARIATION IS FOR PITCH VARIATION AND THE LATER ONES ARE FOR EXPOSED PAD AND MIXED RING PAD VARIATION.

SYMBOLS	COMMON DIMENSIONS			N _O T _E
	MIN.	NOM.	MAX.	
A	0.00	0.01	0.05	11
A1	0.00	0.01	0.05	11
A2	0.00	0.01	0.05	11
A3	0.20	REF.		
D	6.00	BSC		
D1	5.75	BSC		
D2	6.00	BSC		
E	6.00	BSC		
E1	5.75	BSC		
θ	12°			
P	0.24	0.42	0.60	
R	0.13	0.17	0.23	12
S	0.20	0.30	0.40	
S1	0.50	0.60	0.65	
S2	0.50	0.60	0.65	
J	0.60	1.00	1.50	

Author: Schneider, Inc.
 Designer: Andrew, USA
 Engineer: Sureshchandra, Inc.
 Checker: Sureshchandra, Inc.
 Author: Technology Philippines, Inc.
 Manila, Philippines



PACKAGE OUTLINE, MLF2, 6 X 6 mm BODY
 45278
 PRINTING IS SCALED TO FIT
 DO NOT SCALE DRAWING
 4 of 5